

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

License#: 100290/4C/0

#### D8RF22012-0101

Sample ID: G2K0312-01

Matrix: Hemp Products

Test ID: 5020130 Source ID:

Date Sampled: 11/21/22

Date Accepted: 11/21/22

Harvest/Prod. Date: 11.10.2022

Periodic Caramels

shane@periodiccaramels.com

### **Results at a Glance**

Total THC: <LOQ (0.000250%) %

Total CBD: 0.0536 %

Total CBG: 0.0663 %

delta 8-THC: 0.2380 % PASS





Eric Wendt Chief Science Officer - 11/22/2022



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

#### D8RF22012-0101

Sample ID: G2K0312-01

Matrix: Hemp Products

Test ID: 5020130 Source ID:

Date Sampled: 11/21/22

Date Accepted: 11/21/22


Harvest/Prod. Date: 11.10.2022

Periodic Caramels

shane@periodiccaramels.com

Date/Time Extracted:	11/21/22 14:18	Analysis Method/SOP: 215	Batch Identification: 224801

**Potency Analysis** 



Total THC = delta 9-THC + (THCA \* 0.877)

Total CBD = CBD + (CBDA \* 0.877) Total CBG = CBG + (CBGA \* 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.





Eric Wendt Chief Science Officer - 11/22/2022

Page 2 of 4



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

# Quality Control Potency

Batch: 2248012 - 215-Products

Blank(2248012-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0005	%		11/21/22 14:18	11/22/22 04:26	
delta 9-THC	< LOQ	0.0005	%		11/21/22 14:18	11/22/22 04:26	
delta 8-THC	< LOQ	0.0192	%		11/21/22 14:18	11/22/22 04:26	
THCV	< LOQ	0.0150	%		11/21/22 14:18	11/22/22 04:26	
THCVA	< LOQ	0.0224	%		11/21/22 14:18	11/22/22 04:26	
CBD	< LOQ	0.0005	%		11/21/22 14:18	11/22/22 04:26	
CBDA	< LOQ	0.0005	%		11/21/22 14:18	11/22/22 04:26	
CBDV	< LOQ	0.0154	%		11/21/22 14:18	11/22/22 04:26	
CBDVA	< LOQ	0.0212	%		11/21/22 14:18	11/22/22 04:26	
CBN	< LOQ	0.0138	%		11/21/22 14:18	11/22/22 04:26	
CBG	< LOQ	0.0161	%		11/21/22 14:18	11/22/22 04:26	
CBGA	< LOQ	0.0213	%		11/21/22 14:18	11/22/22 04:26	
CBC	< LOQ	0.0202	%		11/21/22 14:18	11/22/22 04:26	

Reference(2248012-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	105	0.0099	%	90-110	11/21/22 14:18	11/22/22 04:49	
delta 9-THC	107	0.0099	%	90-110	11/21/22 14:18	11/22/22 04:49	
delta 8-THC	109	0.3818	%	90-110	11/21/22 14:18	11/22/22 04:49	
CBD	109	0.0099	%	90-110	11/21/22 14:18	11/22/22 04:49	
CBDA	103	0.0099	%	90-110	11/21/22 14:18	11/22/22 04:49	







12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

manually for all samples.

## **Notes and Definitions**

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

ATM	Non-cannabis matrix related interference or suppression of Internal standard
BLI BLK	Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery .  Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

Internal Standard concentration outside control limit due to matrix interference

