

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

CCL23015-0101

Sample ID: G3G0393-02

Matrix: Hemp Products

Test ID: 5024128 Source ID:

Date Sampled: 07/28/23

Date Accepted: 07/28/23

Harvest/Prod. Date: 07.24.2023

Periodic Caramels

shane@periodiccaramels.com

Results at a Glance

Total THC: 0.0063 %

Total CBD: 0.3064 %

CBC: 0.0647 % PASS





Eric Wendt Chief Science Officer - 8/1/2023



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

CCL23015-0101

Sample ID: G3G0393-02

Matrix: Hemp Products

Test ID: 5024128 Source ID:

Date Sampled: 07/28/23

Date Accepted: 07/28/23

Harvest/Prod. Date: 07.24.2023

CBG

CBGA

CBC

0.0081

0.0107

0.0101

Periodic Caramels

shane@periodiccaramels.com

0.3

Date/Time Extra	cted: 07/31/	23 11:19	Analysis Method/SOP: 215 Batch Identification: 2331006
Cannabinoids	LOQ (%)	mg/g	Cannabinoids Profile
Total THC	0.000250	0.063	
Total CBD	0.000250	3.064	0.1
THCA	0.000250	< LOQ	0.0
delta 9-THC	0.000250	0.063	0.0
delta 8-THC	0.0096	< LOQ	
THCV	0.0075	< LOQ	
THCVA	0.0112	< LOQ	
CBD	0.000250	2.882	
CBDA	0.000250	0.208	
CBDV	0.0077	< LOQ	delta 9-THC 0.0 CBDA 0.0
CBDVA	0.0106	< LOQ	CBD 0.3 CBC 0.1
CBN	0.0069	< LOQ	Total: 0.4

Potency Analysis by HPLC

Total THC = delta 9-THC + (THCA * 0.877) Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.

< LOQ

< LOQ

0.647





Eric Wendt Chief Science Officer - 8/1/2023

Page 2 of 4



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Quality Control Potency

Batch: 2331006 - 215-Products

Blank(2331006-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0079	%		07/31/23 11:19	07/31/23 17:26	
delta 9-THC	< LOQ	0.0079	%		07/31/23 11:19	07/31/23 17:26	
delta 8-THC	< LOQ	0.3028	%		07/31/23 11:19	07/31/23 17:26	
THCV	< LOQ	0.2363	%		07/31/23 11:19	07/31/23 17:26	
THCVA	< LOQ	0.3536	%		07/31/23 11:19	07/31/23 17:26	
CBD	< LOQ	0.0079	%		07/31/23 11:19	07/31/23 17:26	
CBDA	< LOQ	0.0079	%		07/31/23 11:19	07/31/23 17:26	
CBDV	< LOQ	0.2431	%		07/31/23 11:19	07/31/23 17:26	
CBDVA	< LOQ	0.3339	%		07/31/23 11:19	07/31/23 17:26	
CBN	< LOQ	0.2183	%		07/31/23 11:19	07/31/23 17:26	
CBG	< LOQ	0.2540	%		07/31/23 11:19	07/31/23 17:26	
CBGA	< LOQ	0.3366	%		07/31/23 11:19	07/31/23 17:26	
CBC	< LOQ	0.3186	%		07/31/23 11:19	07/31/23 17:26	

Reference(2331006-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	104	0.0097	%	90-110	07/31/23 11:19	07/31/23 17:49	
delta 9-THC	102	0.0097	%	90-110	07/31/23 11:19	07/31/23 17:49	
delta 8-THC	100	0.3708	%	90-110	07/31/23 11:19	07/31/23 17:49	
CBD	96.7	0.0097	%	90-110	07/31/23 11:19	07/31/23 17:49	
CBDA	92.1	0.0097	%	90-110	07/31/23 11:19	07/31/23 17:49	







12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

ATM BLI BLK	Non-cannabis matrix related interference or suppression of Internal standard Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery. Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL C	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

